L Number	Hits	Search Text	DB	Time stamp
-	396	(template same authentica\$4) and code	USPAT;	2003/08/18 14:56
-	62	(template same authentica\$4) same id	US-PGPUB USPAT;	2003/08/18 14:57
-	230	template with authenticat\$4	US-PGPUB USPAT; US-PGPUB	2003/08/18 14:58
-	56	(template with authenticat\$4) and (insert\$4 with data)	USPAT; US-PGPUB	2003/08/18 15:11
-	62	(template same authentica\$4) same id	USPAT; US-PGPUB	2003/08/18 15:03
-	140	template same "template id"	USPAT; US-PGPUB	2003/08/19 11:09
-	118	(template same "template id") and (insert\$4 or extract\$4)	USPAT; US-PGPUB	2003/08/18 15:12
-	26	(template same "template id") same (insert\$4 or extract\$4)	USPAT; US-PGPUB	2003/08/21 15:11
- '	86	(template same "template id") and extract\$4	USPAT; US-PGPUB	2003/08/18 15:18
-	36	(template same "template id") same (insert\$4 or retriev\$4)	USPAT; US-PGPUB	2003/08/18 15:26
-	1573	template same management	USPAT; US-PGPUB	2003/08/18 15:27
-	63	template adj management	USPAT; US-PGPUB	2003/08/18 15:28
-	3	(template adj management) same insert\$4	USPAT; US-PGPUB	2003/08/18 15:28
-	483	template same authentica\$4	USPAT; US-PGPUB	2003/08/19 09:42
-	234	template with authentica\$4	USPAT; US-PGPUB	2003/08/19 09:43
-	0	"L140" same encrypt\$4	USPAT; US-PGPUB	2003/08/19 11:08
-	0	"L140" and encrypt\$4	USPAT; US-PGPUB	2003/08/19 11:08
-	29	(template same "template id") and encrypt\$	USPAT; US-PGPUB	2003/08/19 11:38
-	1868	authenticat\$4 with document	USPAT; US-PGPUB	2003/08/19 11:54
-	27	(authenticat\$4 with document) same reconstruct\$4	USPAT; US-PGPUB	2003/08/19 11:50
-	0	((authenticat\$4 with document) same reconstruct\$4) same template	USPAT; US-PGPUB	2003/08/19 11:39
-	2	(authenticat\$4 with document) same (re adj1 generat\$4)	USPAT; US-PGPUB	2003/08/19 11:53
-	2	(authenticat\$4 with document) same (re adj generat\$4)	USPAT; US-PGPUB	2003/08/19 11:53
-	29	(authenticat\$4 with document) same template	USPAT; US-PGPUB	2003/08/19 12:41
-	0	"authentication of a template"	USPAT; US-PGPUB	2003/08/19 12:42
-	517	authenticat\$4 same template	USPAT; US-PGPUB;	2003/08/19 12:42
-	3	(authenticat\$4 with template) and "template id"	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2003/08/19 12:43
-	252	authenticat\$4 with template	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 13:05

-	2598	separate with template	USPAT;	2003/08/19 12:55
		·	US-PGPUB	
			EPO; JPO;	
			IBM_TDB	
	308	(separate with template) same data	USPAT;	2003/08/19 12:56
-	306	(Separate with template) same data		2003/00/19 12.30
			US-PGPUB;	
			EPO; JPO;	•
			IBM_TDB	
-	35	((separate with template) same data) and encrypt\$4	USPAT;	2003/08/19 12:56
			US-PGPUB;	
	1		EPO; JPO;	
			IBM_TDB	
_	11	(authenticat\$4 with template) same separat\$4	USPAT;	2003/08/19 13:06
			US-PGPUB;	2000,00,00
			EPO; JPO;	
			IBM_TDB	
	1	//4b4b4b		0000/00/40 40:05
-	1	((authenticat\$4 same template) same (separate distribut\$4))	USPAT;	2003/08/19 13:25
		and "template id"	US-PGPUB	
-	75	(authenticat\$4 same template) same (separate distribut\$4)	USPAT;	2003/08/19 13:25
			US-PGPUB	
-	0	(template same "template id") same (insert\$4 or extract\$4)	USPAT;	2003/08/21 15:12
		same encryp\$4	US-PGPUB	
-	l o	(template same "template id") same (insert\$4 or extract\$4)	USPAT;	2003/08/21 15:14
		same crypt\$10	US-PGPUB	
_	344	template same encryp\$4	USPAT:	2003/08/21 15:14
-	544	template same encrypus	US-PGPUB	2000/00/21 10.14
		A		2002/00/24 45:44
-	38	template same encryp\$4 same extract\$	USPAT;	2003/08/21 15:14
			US-PGPUB	
-	923	encrypt\$4 adj2 (database storage)	USPAT;	2003/08/26 07:45
İ			US-PGPUB	
-	346	encrypt\$4 adj (database storage)	USPAT;	2003/08/26 07:46
	!		US-PGPUB	
-	133	encrypt\$4 adj database	USPAT;	2003/08/26 07:55
		, ,	US-PGPUB	
l <u>-</u>	1	(encrypt\$4 adj database) same template	USPAT;	2003/08/26 07:48
	•	(onorypie) and databassy sums template	US-PGPUB	
ł	41	(encrypt\$4 adj database) same store	USPAT:	2003/08/26 07:48
-	-	(encryptor auf database) same store	US-PGPUB	2003/00/20 07.40
		LIC 5007040 A DID	1	2002/00/26 07:55
-	1	US-5907848-A.DID.	USPAT;	2003/08/26 07:55
			US-PGPUB	0000/00/00 07 55
-	40	(encrypt\$4 adj storage) same store	USPAT;	2003/08/26 07:55
			US-PGPUB	
-	217	encrypt\$4 adj storage	USPAT;	2003/08/26 08:24
			US-PGPUB	'
-	242	encrypt\$4 adj data adj packet	USPAT;	2003/08/26 08:26
			US-PGPUB	
-	150	encrypted adj data adj packet	USPAT;	2003/08/26 08:41
		, ,,	US-PGPUB	
1_	55	encrypting adj data adj packet	USPAT:	2003/08/26 09:05
-	33	citorypting auj uata auj packet	US-PGPUB	2000/00/20 00.00
	000	recompty (at 0.4) with toward to		2002/00/20 00:40
-	268	reconstruct\$4 with template	USPAT;	2003/08/26 09:12
			US-PGPUB	
-	25	(reconstruct\$4 with template) with data	USPAT;	2003/08/26 09:06
	[US-PGPUB	
-	2	reconstruct\$4 with document with template with data	USPAT;	2003/08/26 09:13
	[· · ·	US-PGPUB	
_	5	reconstruct\$4 with document with template	USPAT;	2003/08/26 09:15
			US-PGPUB	
-	10	(reconstruct\$4 with document) same template	USPAT;	2003/08/26 09:18
	1	, 155	US-PGPUB	
	16	(reconstruct\$4 same document) same template	USPAT;	2003/08/26 09:18
1	'0	(1660) Structor Same document) Same template	US-PGPUB	2000/00/20 09.10
	_	townlote and literaplete idli and suite setimated and		2003/00/26 40:24
-	5	template and "template id" and authenticat\$4 and	USPAT;	2003/08/26 10:21
	<u> </u>	reconstruct\$4 and encrypt\$4	US-PGPUB	

_					•
	-	288	template and authenticat\$4 and reconstruct\$4 and encrypt\$4	USPAT; US-PGPUB	2003/08/26 10:22
	-	75	template same key and authenticat\$4 and reconstruct\$4 and encrypt\$4	USPAT; US-PGPUB	2003/08/26 11:02
	-	0	template same key and authenticat\$4 and reconstruct\$4	USPAT; US-PGPUB	2003/08/26 11:02
	-	61	template same identification and authenticat\$4 and reconstruct\$4	USPAT;	2003/08/26 11:07
	-	6	template same "template id" and authenticat\$4 and reconstruct\$4	US-PGPUB USPAT;	2003/08/26 11:05
	-	3687	template same identification	US-PGPUB USPAT;	2003/08/26 11:08
	-	45	generate same template same identification same store	US-PGPUB USPAT; US-PGPUB	2003/08/26 11:11
	-	27	create with template same identification same store	USPAT; US-PGPUB	2003/08/26 12:49
	-	0	template same identifcation	USPAT; US-PGPUB	2003/08/26 12:49
	-	3687	template same identification	USPAT; US-PGPUB	2003/08/26 12:53
	-	153	(template same identification) same authenticat\$4	USPAT; US-PGPUB	2003/08/26 12:50
	-	40	(template same identification) same authenticat\$4 same code	USPAT; US-PGPUB	2003/08/26 12:50
	-	413	generat\$4 with template same identification	USPAT; US-PGPUB	2003/08/26 12:54
	-	54	generat\$4 adj template same identification	USPAT; US-PGPUB	2003/08/26 12:54
	-	17	generat\$4 adj template same identification same stor\$3	USPAT; US-PGPUB	2003/08/26 12:56
	-	249	(generat\$4 adj template) same stor\$3	USPAT; US-PGPUB	2003/08/26 12:56
	-	27	((generat\$4 adj template) same stor\$3) same code	USPAT; US-PGPUB	2003/08/26 13:02
	-	0	"template document authentication code"	USPAT; US-PGPUB	2003/08/26 13:02
	-	4	"document authentication code"	USPAT; US-PGPUB	2003/08/26 13:12
	-	10	"authentication code" same template	USPAT; US-PGPUB	2003/08/27 14:04
	-	1	6385595.pn.	USPAT; US-PGPUB	2003/08/26 15:17
	-	0	separate near4 authenticat\$ near template	USPAT; US-PGPUB	2003/08/27 13:37
	-	0	separate near4 authenticat\$4 near template	USPAT; US-PGPUB	2003/08/27 13:37
	-	2	separate near10 authenticat\$4 near10 template	USPAT; US-PGPUB	2003/08/27 13:38
	-	4	separate same (authenticat\$4 near10 template) same compar\$4	USPAT; US-PGPUB	2003/08/27 13:39
	-	79	(authenticat\$4 near10 template) same compar\$4	USPAT; US-PGPUB	2003/08/27 13:40
	-	0	electronic adj3 bill same auhenticat\$4 same template	USPAT; US-PGPUB	2003/08/27 14:06
	•	. 0	(electronic adj3 statement) same auhenticat\$4 same template	USPAT; US-PGPUB	2003/08/27 14:07
	-	0	(electronic adj statement) same auhenticat\$4 same template	USPAT; US-PGPUB	2003/08/27 14:07
	-	2	(electronic adj statement) same template	USPAT; US-PGPUB	2003/08/27 14:07
	-	0	(electronic adj3 invoice adj3 statement) same template	USPAT; US-PGPUB	2003/08/27 14:08
	-	2	(invoice adj3 statement) same template	USPAT; US-PGPUB	2003/08/27 14:08
-					

-	2	(electronic adj3 invoice) same template	USPAT; US-PGPUB	2003/08/27 14:09
-	20	(electronic adj3 (invoice bill)) same template	USPAT; US-PGPUB	2003/08/27 14:11
-	14	((electronic adj3 (invoice bill)) same template) and authentic\$4	USPAT; US-PGPUB	2003/08/27 14:10
-	1	(electronic adj3 (invoice bill)) same template same authentic\$4	USPAT;	2003/08/27 14:12
-	1	(electronic adj3 (invoice bill)) same template same encrypt\$4	US-PGPUB USPAT;	2003/08/27 14:13
	3	(electronic with (invoice bill)) same template same encrypt\$4	US-PGPUB USPAT;	2003/08/27 14:15
-	О	(electronic with (invoice bill)) same template same encrypt\$4	US-PGPUB USPAT;	2003/08/27 14:15
-	1	and extract (electronic with (invoice bill)) same template same encrypt\$4	US-PGPUB USPAT;	2003/08/27 14:16
-	1	and extract\$4 (electronic with (invoice bill)) same template same security	US-PGPUB USPAT;	2003/08/27 14:34
-	1	and extract\$4 (electronic with (invoice bill)) same template same security	US-PGPUB USPAT;	2003/08/27 14:35
-	13	(invoice bill) same template same security	US-PGPUB USPAT;	2003/08/27 14:37
-	260	(invoice bill) same template	US-PGPUB USPAT;	2003/08/27 14:37
-	40	electronic same (invoice bill) same template	US-PGPUB USPAT; US-PGPUB	2003/08/27 14:45
-	3	electronic same (invoice bill) same template same compar\$4	USPAT; US-PGPUB	2003/08/27 14:52
-	4	electronic same (invoic\$4 bill\$4) same template same compar\$4	USPAT; US-PGPUB	2003/08/27 14:53
-	13	electronic same (invoic\$4 bill\$4 statement) same template same compar\$4	USPAT; US-PGPUB	2003/08/27 14:53
-	o	("L1authenticat\$4").PN.	USPAT; US-PGPUB	2003/08/29 12:16
-	120	(713/160).CCLS.	USPAT; US-PGPUB	2003/08/29 12:17
-	0	("headersamedatasameauthentica\$4").PN.	USPAT; US-PGPUB	2003/08/29 12:17
-	781	header same data same authentica\$4	USPAT; US-PGPUB	2003/08/29 12:17
-	19	(header same data same authentica\$4) same compare	USPAT; US-PGPUB	2003/08/29 12:18
-	36676	header same data	USPAT; US-PGPUB	2003/09/08 15:47
-	789	header same data same authentica\$4	USPAT; US-PGPUB	2003/09/08 15:47
-	57	header same data same authentica\$4 same compar\$4	USPAT; US-PGPUB	2003/09/09 09:19
-	28	(header same data same authentica\$4 same compar\$4) and template\$4	USPAT; US-PGPUB	2003/09/09 09:19
-	58	header same data same authentica\$4 same compar\$4	USPAT; US-PGPUB	2003/09/09 11:33
-	28	(header same data same authentica\$4 same compar\$4) and template	USPAT; US-PGPUB	2003/09/09 10:56
-	3	(authenticat\$4 adj3 template) same code	USPAT; US-PGPUB	2003/09/09 10:56
-	46	authenticat\$4 adj3 template	USPAT; US-PGPUB	2003/09/09 11:00
-	41	encrypt\$4 adj3 static	USPAT; US-PGPUB	2003/09/09 11:33
-	16	decrypt\$4 adj3 static	USPAT; US-PGPUB	2003/09/09 13:42
-	35	decrypt\$4 adj3 template	USPAT; US-PGPUB	2003/09/09 13:48
	-			

User add					
6 (user adj2 entry) same template same insert\$4	-	74	decrypt\$4 with template	USPAT;	2003/09/09 13:48
1632	1_	6	(user adi2 entry) same template same insert\$4		2003/09/10 11:32
1632 (user data) same template same insert\$4 USPAT; US-PGPUB U			(additionally) dame template dame intertum		2000/00/10 / 1.02
8	-	1632	(user data) same template same insert\$4		2003/09/10 11:32
US-PGPUB			, , , , , , , , , , , , , , , , , , ,		
155	-	8	(user adj data) same template same insert\$4		2003/09/10 11:34
Uss-RGPUB Uss-					
-	-	155	(user adj data) same form same insert\$4		2003/09/10 11:34
US-PGPUB USPAT; US-PGPUB	İ_	33	(user adi data) with insert\$4 with form		2003/00/10 12:32
2660 (data) with insert\$4 with form] 33	(user auf data) with inserto- with form		2003/03/10 12.32
US-PGPUB USPAT; US-PGPUB USP	-	2660	(data) with insert\$4 with form		2003/09/10 12:32
User same (data with insert\$4 with form)) and authentica\$4			, ,		
Company Comp	-	369	user same (data with insert\$4 with form)	USPAT;	2003/09/10 12:33
- 37 (user same (data with merg\$4 with form)) and authentica\$4 US-PGPUB USPAT;					
- 37 (user same (data with merg\$4 with form)) and authentica\$4 - 2 (user same (data with merg\$4 with form)) same (encrypt\$4 USPAT; US-PGPUB US	-	69	(user same (data with insert\$4 with form)) and authentica\$4		2003/09/11 10:56
Company Comp		27	(0000/00/44 44.00
- 2 (user same (data with merg\$4 with form)) same (encrypt\$4 hash) - 46 (user same (data with merg\$4 with form)) and (encrypt\$4 hash) - 829 (data with combin\$4 with form) and (encrypt\$4 hash) - 67 (user with data with combin\$4 with form) and (encrypt\$4 hash) - 6022 (data merg\$4 form) same hash - 6022 (data with merg\$4 with form) same hash - 10 (data with merg\$4 with form) same hash - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:15 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:18 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 11:19 - 2003/09/11 13:33 - 2003/09/11 13:34 - 2003/09/11 13:49 - 2003/09/11 13:49 - 2003/09/11 13:49 - 2003/09/11 13:49 - 2003/09/11 13:49 - 2003/09/11 13:49 - 2003/09/11 13:50 - 29 "user data" same "previous users" uspart - 2003/09/11 13:53 - 29 "user data" same "previous users" and form - 2003/09/11 13:55	-	37	(user same (data with merg\$4 with form)) and authentica\$4		2003/09/11 11:03
hash	_	2	(user same (data with merg\$4 with form)) same (encrynt\$4		2003/09/11 11:04
- 46 (user same (data with merg\$4 with form)) and (encrypt\$4 hash) - 829 (data with combin\$4 with form) and (encrypt\$4 hash) - 67 (user with data with combin\$4 with form) and (encrypt\$4 hash) - 6022 (data merg\$4 form) same hash - 6022 (data with merg\$4 with form) same hash - 1 (data with merg\$4 with form) same hash - 2 (data with merg\$4 with form) same authenticat\$4 - 4 (data with merg\$4 with form) same authenticat\$4 - 5 (data with merg\$4 with template) same authenticat\$4 - 6 (merg\$4 with template) same authenticat\$4 - 7 (merg\$4 with static) same authenticat\$4 - 7 (merg\$4 with static) same authenticat\$4 - 8 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 1 (merg\$4 with static) same authenticat\$4 - 1 (merg\$4 with static) same authenticat\$4 - 2 (merg\$4 with static) same authenticat\$4 - 3 (merg\$4 with static) same authenticat\$4 - 4 (merg\$4 with static) same authenticat\$4 - 5 (merg\$4 with static) same authenticat\$4 - 6 (merg\$4 with static) same authenticat\$4 - 7 (merg\$4 with static) same authenticat\$4 - 8 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 1 (merg\$4 with static) same authenticat\$4 - 2 (merg\$4 with static) same authenticat\$4 - 3 (merg\$4 with static) same authenticat\$4 - 4 (merg\$4 with static) same authenticat\$4 - 5 (merg\$4 with static) same authenticat\$4 - 6 (merg\$4 with static) same authenticat\$4 - 7 (merg\$4 with static) same authenticat\$4 - 8 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 1 (merg\$4 with static) same authenticat\$4 - 2 (merg\$4 with static) same authenticat\$4 - 3 (merg\$4 with static) same authenticat\$4 - 4 (merg\$4 with static) same authenticat\$4 - 5 (merg\$4 with static) same authenticat\$4 - 6 (merg\$4 with static) same authenticat\$4 - 7 (merg\$4 with static) same authenticat\$4 - 8 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) sa		-	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	1	2000/00/11 11:04
- 829 (data with combin\$4 with form) and (encrypt\$4 hash) - 67 (user with data with combin\$4 with form) and (encrypt\$4 USPAT; US-PGPUB USPAT;	_	46	1 ,		2003/09/11 11:14
- 67 (user with data with combin\$4 with form) and (encrypt\$4 hash) - 6022 (data merg\$4 form) same hash - 11 (data with merg\$4 with form) same hash - 2003/09/11 11:17 - 12 (data with merg\$4 with form) same hash - 30 (data with merg\$4 with template) same authenticat\$4 - 30 (merg\$4 with template) same authenticat\$4 - 30 (merg\$4 with template) same authenticat\$4 - 4 (merg\$4 with template) same authenticat\$4 - 5 (merg\$4 with static) same authenticat\$4 - 6 (merg\$4 with static) same authenticat\$4 - 7 (merg\$4 with static) same authenticat\$4 - 8 (merg\$4 with static) same authenticat\$4 - 9 (merg\$4 with static) same authenticat\$4 - 10 (merg\$4 with static			1 ,		
- 67 (user with data with combin\$4 with form) and (encrypt\$4 hash) - 6022 (data merg\$4 form) same hash - 1 (data with merg\$4 with form) same hash - 2003/09/11 11:17 - 1 (data with merg\$4 with form) same hash - 3 (data with merg\$4 with form) same authenticat\$4 - 4 (data with merg\$4 with form) same authenticat\$4 - 0 (data with merg\$4 with template) same authenticat\$4 - 0 (merg\$4 with template) same authenticat\$4 - 0 (merg\$4 with static) same authenticat\$4 - 0	-	829	(data with combin\$4 with form) and (encrypt\$4 hash)	1	2003/09/11 11:15
		0.7	(1	0000/00/44 44:40
- 6022 (datá merg\$4 form) same hash (data with merg\$4 with form) same hash (data with merg\$4 with form) same hash (data with merg\$4 with form) same authenticat\$4 - 4 (data with merg\$4 with form) same authenticat\$4 - 0 (data with merg\$4 with template) same authenticat\$4 - 0 (merg\$4 with template) same authenticat\$4 - 0 (merg\$4 with static) same authenticat\$4 - 0 (merg\$4 w	-	67	1 '		2003/09/11 11:16
1	1_	6022	l ,	1	2003/09/11 11:17
1		0022	(data mergos form) same nasir		2000,00,11 11.17
- 4 (data with merg\$4 with form) same authenticat\$4	-	1	(data with merg\$4 with form) same hash	1	2003/09/11 11:18
- 0 (data with merg\$4 with template) same authenticat\$4 US-PGPUB USPAT; 2003/09/11 11:18 US-PGPUB USPAT; 2003/09/11 11:19 US-PGPUB USPAT; 2003/09/11 11:19 US-PGPUB USPAT; 2003/09/11 13:33 US-PGPUB USPAT; 2003/09/11 13:33 US-PGPUB USPAT; 2003/09/11 13:46 US-PGPUB USPAT; 2003/09/11 13:46 US-PGPUB USPAT; 2003/09/11 13:48 US-PGPUB USPAT; 2003/09/11 13:49 US-PGPUB USPAT; 2003/09/11 13:49 US-PGPUB USPAT; 2003/09/11 13:49 US-PGPUB USPAT; 2003/09/11 13:49 US-PGPUB USPAT; 2003/09/11 13:50 US-PGPUB USPAT; 2003/09/11 13:50 US-PGPUB USPAT; 2003/09/11 13:50 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB USPAT; 2003/09/11 13:55 US-PGPUB U			· :	1	
- 0 (data with merg\$4 with template) same authenticat\$4 - 0 (merg\$4 with template) same authenticat\$4 - 0 (merg\$4 with static) same authenticat\$4 - 0 (merg\$4 with static) same authenticat\$4 - 0 (merg\$4 with static) same authenticat\$4 - 20 "previous user" and "current user" and "template" - 20 "previous user" and "current user" and "template" - 20 "previous user same previous same template - 0 "Document Authenthication Code" and "template" - 0 "Authenthication Code" and "template" - 0 "Au	-	4	(data with merg\$4 with form) same authenticat\$4	1	2003/09/11 11:18
- 0 (merg\$4 with template) same authenticat\$4 US-PGPUB US			/data with maraca with tamplata and authoritant		2002/00/44 44:48
- 0 (merg\$4 with template) same authenticat\$4 USPAT; US-PGPUB	-		(data with merga4 with template) same authenticata4		2003/09/11 11.16
- 0 (merg\$4 with static) same authenticat\$4 US-PGPUB USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	_	0	(merg\$4 with template) same authenticat\$4	1	2003/09/11 11:19
- 20 "previous user" and "current user" and "template" US-PGPUB USPAT; US-PGPU			(3	1	
- 20 "previous user" and "current user" and "template" - 4 insert same user same previous same template - 0 "Document Authenthication Code" and "template" - 0 "Authenthication Code" and "template" - 0 "Authenthication Code" and "template" - 0 "Authenthication Code" and "template" - 1 0 "Authenthication Code" and "template" - 2003/09/11 13:49 USPAT; US-PGPUB	-	0	(merg\$4 with static) same authenticat\$4		2003/09/11 13:33
-	}			li .	
- 4 insert same user same previous same template USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB US-PG	-	20	rprevious user" and "current user" and "template"		2003/09/11 13:46
- 0 "Document Authenthication Code" and "template" US-PGPUB US-PGP		4	incort camo ucor camo provinua como templato		2002/00/44 42:49
- 0 "Document Authenthication Code" and "template" USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB US-	-	4	insert same user same previous same template		2003/09/11 13.48
- 0 "Authenthication Code" and "template" US-PGPUB USPAT; US-P	-	0	"Document Authenthication Code" and "template"		2003/09/11 13:49
- 0 "Authenthication Code" and "template" USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB US-PGPUB USPAT; US-P					
- 34 "user data" same "previous users" USPAT; US-PGPUB 2003/09/11 13:50 - 29 "user data" same "previous users" and form USPAT; US-PGPUB 2003/09/11 13:53 - 10 "user data" and "previous users" and form and template and USPAT; USPAT; 2003/09/11 13:55	-	0	"Authenthication Code" and "template"	1	2003/09/11 13:49
- 29 "user data" same "previous users" and form US-PGPUB USPAT; 2003/09/11 13:53 US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB USPAT; 2003/09/11 13:55				1	
-	-	34	"user data" same "previous users"		2003/09/11 13:50
US-PGPUB 10 "user data" and "previous users" and form and template and USPAT; 2003/09/11 13:55		20	"user data" same "provious users" and form	1	2003/00/11 13:53
- 10 "user data" and "previous users" and form and template and USPAT; 2003/09/11 13:55	1 '	29	user data same previous users and form		2003/08/11 13.53
	.	10	"user data" and "previous users" and form and template and		2003/09/11 13:55
insert\$4 and extract\$4 US-PGPUB			insert\$4 and extract\$4	US-PGPUB	